

Short Communication

Afr. J. Food Agric. Nutr. Dev. 2022; 22(8): 21713-21723 https://doi.org/10.18697/ajfand.114.21725

GUINEA FOWL PRODUCTION: THE POTENTIAL FOR NUTRITION AND INCOME GENERATION IN RURAL HOUSEHOLDS IN BURKINA FASO

Anderson AK^{1*}, Nianogo AJ², Some S³, Pousga S² and WS Kisaalita⁴



Corresponding author email: fianko@uga.edu

¹Department of Nutritional Sciences, College of Family and Consumer Sciences, University of Georgia, Athens, Georgia, USA

²Department of Livestock Production, Institute of Rural Development, Nazi Boni University, Bobo-Dioulasso, Burkina Faso

³Africa's Sustainable Development Council (ASUDEC), Ouagadougou, Burkina Faso

⁴3p Innovations Laboratory, College of Engineering, University of Georgia, Athens, Georgia, USA



REVIEWED ACRICULTURE, VOlume 22 No. 9 SCHOLARU L OF FOOD, AGRICULTURE, VOlume 22 No. 9 SCHOLARU EVELOPMENT November 2022

AFRICAN ISSN 1684 5374 SCHOLARLY SCHOLARLY SCHOLARLY SCHOLARLY

ABSTRACT

Small-scale poultry keeping is a common practice particularly among low-income households in sub-Saharan African countries. Due to the limited resources of these households, the flock is raised on a free-range basis, where the birds are left to fend for themselves, mostly affecting their performance. Well-structured poultry farming among these low-income households has the potential to improve not only the financial standing, but also the nutrition and health of the households. The purpose of this survey was to understand existing household food practices and aspirations for expanded poultry business among mothers of young children involved in smallholder guinea fowl farming in Burkina Faso. This was a crosssectional study of a convenience sample of women engaged in small-scale poultry. A semi-structured questionnaire was used for data collection. Questionnaire for data collection was administered in a face-to-face interview format by trained research assistants. All interviews were conducted in MORE, the predominant language spoken in the study area. Descriptive analysis was performed using Microsoft Excel and reported as frequencies and percentages for categorical variables, and means for continuous variables. One hundred and fifty women with children under 5 years of which 98.7% were the biological mothers participated in the study. About 68% of participants were 28 years or older, 45% have no formal education and 30% had 6 or more children in the household. Although over 58% of participants reported household income from agriculture, only 8.7% was livestock related. About half of the participants reported they would market/sell products from expansion of guinea fowl farming to raise additional income to support the household, while another half would use some of the meat and eggs to improve the nutrition of the household. Findings from this study suggest mothers from lowincome rural households are interested in income-generating avenues, particularly, expansion in their smallholder guinea fowl farming to improve the socio-economic standing and nutritional health of their household.

Key words: Guinea Fowl Production, Low-income Households, Nutrition, Nutritional Health, Poultry



INTRODUCTION

Although global food security has been on the decline since the last decade, lowand middle-income countries (LMICs) are disproportionately affected [1]. Evidence show a global burden of all forms of malnutrition [1]. Even though there has been some progress towards reducing the impact of malnutrition, wasting and stunting continue to be a major public health problem in LMICs, particularly countries in sub-Saharan Africa [2,3].

AGRICUI TURE

Volume 22 No. 9

November 2022 TRUST

ISSN 1684 5374

SCIENCE

In LMICs, single parent households, especially those headed by women carry majority of the malnutrition burden with children in such households more likely to be stunted. These mothers engage in menial jobs, subsistent farming and do not own the land they cultivate therefore affecting their economic standing [4,5,6,7,8,9]. Their diet tend to lack variety, high in carbohydrate and lacking animal source protein. Though most low-income households diet lack animal source protein because of cost [10], the egg being a relatively cheap animal food source but of high protein quality has the potential to improve child nutrition and growth [8,11].

Guinea fowl is not only a delicacy in Burkina Faso and other African countries, but it exhibits a higher resistance to poultry diseases [12], which has the potential to make farmers with large flocks of the birds, less vulnerable to poultry diseases. Secondly, in comparison to chicken, guinea fowl provide higher protein (23% versus 21%) and lower fat (4% versus 7%) content [13]. Finally, in comparison to chicken, guinea fowl, when managed as free-range control insects and pests [14]. These make guinea fowl meat of greater nutritional and economic value. The study sought to understand current household food practices and aspirations for expanded poultry business among mothers of young children involved in smallholder guinea fowl farming because of the potential to improve household finances, endemic stunting and food insecurity.

METHODS

This cross-sectional study was conducted in partnership with a local nongovernmental organization (ASUDEC) in Burkina Faso, West Africa. Households engaged in smallholder poultry farming, were recruited from 11 villages participating in ASUDEC activities. A convenience sample of 150 women with younger children were selected from these households and interviewed using a semi-structured questionnaire developed purposely for this study. These households were targeted on the basis of their rurality and long-time residence in



ASUDEC activity area similar to the communities in the USAID Rize zones in central eastern and central northern, Burkina Faso.

AGRICUI TURE

Volume 22 No. 9

November 2022 TRUST

ISSN 1684 5374

SCIENCE

Because of the low level of literacy in the study communities, information sessions were held with the women to explain the purpose of the study, the protocol and time commitment to participate. The information sessions and interviewer-administered questionnaire were conducted in MORE, the predominant language spoken in that part of Burkina Faso. The women were made aware that their participation in the survey was voluntary and will not affect their involvement in ASUDEC activities. Eligibility criteria included having a young child (\leq 5years) and involved in smallholder poultry farming. This eligibility criteria is as a result of high risk for undernutrition and stunting among children from low-income households. All participants provided their consent before enrollment in the study. Trained research assistants administered the semi-structured questionnaire with both closed- and open-ended questions for data collection. The questionnaire administration lasted for an average of 45 minutes per participant. The study was approved by the Human Subject Institutional Review Board of the University of Georgia (PROJECT00000350).

RESULTS AND DISCUSSION

Majority of the participants (98.7%) were biological mothers of the children. Age of participants ranged between 17 and 46 years, with about two-thirds (66%) being 28 years or older. Majority of the mothers were married or cohabiting with 7.4% in polygamous marriages. Almost half (45%) of the participants did not have any formal education. Number of children within a household ranged between 1 and 9 with 30% of households having 6 or more children. Of the 150 participants interviewed, 62 mothers (41%) had children below 2 years (Table 1).

Majority (58.7%) of the participants reported the main source of household income to be agriculture-related while 8.7% reported livestock production to be the main source of income (Table 2), which is lower than reported for other African rural households [13]. On the question of how participants intend to use additional income from expanded guinea fowl husbandry, 50% said they would invest in developing their breeding and agriculture business, 39.3% would expand general business activities, while 35.3% said they would improve household food security. This observation is in line with a report by Bruinsma [15].

A greater percentage of the participants interviewed reported carbohydrate rich foods such as cereal (96.7%) and rice (83.3%) as the main component of their



HOLARLY, PEER REVIEWED CAN JOURNAL OF FOOD, AGRICULTURE, RITION AND DEVELOPMENT

Volume 22 No. 9 SCIENCE November 2022 TRUST

ISSN 1684 5374

daily diet (Table 3). The main source of protein reported in the household diet is beans/legumes followed by meats and fish (Table 3). Only 0.7% of participants reported milk to be a source of protein for the household. Finding from the current study is in direct conflict with the EAT-Lancet Commission report of overconsumption of animal source foods across the globe [16]. On the source of protein for children under 5 years in the household, 33.3% and 10.0% of the participants reported breastmilk and fish, respectively. On a question to ascertain the food preference of children, mothers reported foods consisting of carbohydrate and protein rich foods and breastmilk. About 32.7% of younger children were reported to prefer breast milk as their main source of food. Other reported preferred foods included rice (22.7%), cereal meal (16.7%), fish (16.0%), beans/legumes (13.3%), porridge (12.0%) and bread (8.7%) (Table 3).

On the question of use of potential income from improved guinea fowl farming, 50.0% of participants reported they would invest in their livestock production and other agricultural activities. Other participants would want to invest this potential income to expand their retail activities (39.3%), 35.3% would want to improve the household food, health and education security, 22.0% would want to invest in their children's education while 1.3% would want to improve their housing (Table 2). This finding is similar to observation in a review by Maizonneuve and colleagues [17].

The study also ascertained possible uses of products from potential expansion of guinea fowl farming. Almost half (49.3%) of the participants reported they would market/sell the livestock products for additional income to support the households. Another 48.7% of the participants reported they would sell and use some of the meat and eggs from the expansion of guinea fowl farming to improve the nutrition of their families while 2.0% reported they would use products solely for home consumption. A study from Ecuador demonstrated one egg a day for children reduces the risk for stunting by 47% [18], while Headley and colleagues [19] have reported general consumption of animal source food to be inversely associated with child stunting.

CONCLUSION

Findings from the study suggest rural low-income mothers are interested in exploring other income generating avenues to improve the socio-economic standing and nutrition of their household. Therefore, expanded guinea fowl husbandry may be a means of improving the socio-economic status of low income women and support the financial and nutritional needs of the household.





CONFLICT OF INTEREST

The authors declare no conflict of interest.

ACKNOWLEDGEMENTS

This project was supported by a subcontract (UFDSP00012175) from the University of Florida Livestock Systems Innovation Laboratory USAID Grant (AID-OAA-15-003). The work was reviewed and approved by the Human Subject Institutional Review Board of the University of Georgia (IRB ID: PROJECT00000350) and from the AVIS DE LA COMMISSION (Code Agreement #: CE-U01/2019-03). We also thank all the participants for their time.





ISSN 1684 5374

Table 1: Characteristics of Participants (N=150)

| | N | % |
|----------------------------------|-----|------|
| Participant Age (in years) | | |
| < 25 | 21 | 14.0 |
| 25 – 28 | 30 | 20.0 |
| > 28 | 99 | 66.0 |
| Marital Status | | |
| Married | 128 | 85.3 |
| Cohabiting | 20 | 13.3 |
| Single | 2 | 1.3 |
| Polygamous | 11 | 7.4 |
| marriage/arrangement | | |
| Type of Parent | | |
| Biological mother | 148 | 98.7 |
| Adopted mother | 2 | 1.3 |
| Years of Formal Education | | |
| None | 68 | 45.3 |
| 1 – 5 | 16 | 10.7 |
| 6 – 10 | 60 | 40.0 |
| > 10 | 6 | 4.0 |
| | | |
| Number of Children in Household | | |
| 1 – 2 | 45 | 30.0 |
| 3 – 5 | 87 | 58.0 |
| ≥6 | 18 | 12.0 |
| Age of Youngest Child (in years) | | |
| < 1 | 22 | 14.7 |
| 1 – 2 | 40 | 26.7 |
| > 2 | 88 | 58.7 |





Table 2: Source of Household Income and Allocation of Additional Income

| | Ν | % |
|-----------------------------------|----|------|
| Main Source of Income | | |
| Trading | 23 | 15.3 |
| Agriculture/gardening | 88 | 58.7 |
| Livestock production | 13 | 8.7 |
| Guarding | 4 | 2.7 |
| Salaried worker | 10 | 6.7 |
| Artisan | 12 | 8.0 |
| Intended Use of Additional Income | | |
| Expand business activities | 59 | 39.3 |
| Improve food security & | 53 | 35.3 |
| health | 75 | 50.0 |
| Invest in breeding & | 2 | 1.3 |
| agriculture | 33 | 22.0 |
| Improve housing | | |
| Children's education | | |
| Intended Use of Guinea Fowl | | |
| Products | 3 | 2.0 |
| Household consumption | 73 | 48.7 |
| Consumption & marketing | 74 | 49.3 |
| Marketing | | |





ISSN 1684 5374

| | N | % |
|-----------------------------------|-----|------|
| Household Food Custom | | |
| Cereal | 145 | 96.7 |
| Rice | 125 | 83.3 |
| Beans | 70 | 46.7 |
| Pasta | 9 | 6.0 |
| Legume | 9 | 6.0 |
| Main Source of Protein in | | |
| Household Diet | | |
| Beans | 63 | 42.0 |
| Meats | 53 | 35.3 |
| Fish | 31 | 20.7 |
| Porridge | 2 | 1.3 |
| Milk | 1 | 0.7 |
| Source of Protein in Child's Diet | | |
| Porridge | 22 | 14.7 |
| Breastmilk | 50 | 33.3 |
| Fish | 15 | 10.0 |
| Rice | 83 | 55.3 |
| Cereal | 99 | 66.0 |
| Beans/legumes | 49 | 32.7 |
| Other | 15 | 10 |
| Child's Food Preference | | |
| Porridge | 18 | 12.0 |
| Breastmilk | 49 | 32.7 |
| Coffee with milk | 2 | 1.3 |
| Fish | 24 | 16.0 |
| Cake | 9 | 6.0 |
| Rice | 34 | 22.7 |
| Cereal meal | 25 | 16.7 |
| Candy | 17 | 11.3 |
| Cookies | 20 | 13.3 |
| Bread | 13 | 8.7 |
| Beans | 21 | 14.0 |



REFERENCES

1. West PC, Gerber JS, Engstrom PM, Mueller ND, Brauman KA, Carlson KM, Cassidy ES, Johnston M, MacDonald GK, Ray DK and S Siebert Leverage points for improving food security and the environment. *Science* 2014; **345(6195):** 321-328.

AGRICULTURE

- 2. **Perez-Escamilla R, Bermudez O, Buccini GS, Lutter CK and C Victora** Nutrition disparities and the global burden of malnutrition. *BMJ.* 2018; **361:** k2252.
- Black RE, Victora CG, Walker SP, Bhutta ZA, Christian P, de Onis M, Ezzati J, Grantham-McGregor S, Katz J, Martorell R, Uauy R and the Maternal and Child Nutrition Study Group Maternal and child undernutrition and overweight in low-income and middle-income countries. The Lancet 2013; 382(9890): 427-51.
- UNICEF, WHO, International Bank for Reconstruction and Development/The World Bank. Levels and trends in child malnutrition key findings from the 2020 edition of the joint child malnutrition estimates. Geneva: WHO; 2020. Available from: <u>http://www.who.int/publications/i/item/jme-2020-edition</u> Accessed August 2021.
- 5. **Karbo N and J Bruce** The contribution of livestock production to food security in Northern Ghana: an overview. CIDA-Ghana Food Security Program Report. 2000.
- 6. Alkire S, Meinzen-Dick R, Peterman A, Quisumbing A, Seymour G and A Vaz The women's empowerment in agriculture index. World Development, 2013; p. 71-91.
- 7. Schneider K, Gugerty MK and R Plotnick Poultry market in West Africa: Burkina Faso. Evans School Policy Analysis and Research (EPAR), 2010.
- 8. **Zougouri S and E Cook-Lundgren** Gender analysis report: SELEVER PROJECT Burkina Faso, 2016.
- 9. Nordhagen S and R Klemm Implementing small-scale poultry-for-nutrition projects: Successes and lessons learned. *Maternal and Child Nutrition*. 2018;**14(Suppl 3):** e12676.
- 10. **Hoffmann V, Awonon J and A Gelli** Poultry production in Burkina Faso potential for poverty reduction and women's empowerment. International Food Policy Research Institute Discussion Paper 01908. 2020. https://doi.org/10.2499/p15738coll2.133595.





11. **Abioye AA and AT Adegoke** Improving livestock productivity: Assessment of feed resources and livestock management practice in Sudan-Savanna zones of West Africa. *African Journal of Agricultural Research.* 2016;**11(5):** 422-440.

ISSN 1684 5374

- 12. **Joubert JJ** Breeding, selection and AI in guinea fowl. Poultry 1980, Farming in South Africa.
- 13. Nsoso SJG, Seabo M, Kgosiemang J, Molatlhegi SG, Mokobela M, Chabo RG and OM Mine Performance of progeny of wild and domesticated guinea fowl (Numidia meleagris) in Southern Botswana. *South African Journal of Animal Science*. 2003;**4:** 46-5.
- 14. **Jacob J and T Pescatore** Raising guinea fowl. University of Kentucky Cooperative Extension Service Document No. ASC-209.
- Davis B, Di Giuseppe S and A Zezza Are African households (not) leaving agriculture? Patterns of households' income sources in rural Sub-Saharan Africa. *Food Policy*. 2017; 67: 153-174. https://doi.org/10.1016/j.foodpol.2016.09.018
- Willet W, Rockstrom J, Loken B, Springmann M, Lang T, Vermeulen S, Garnett T, Tilman D, DeClerck F, Wood A and M Jonell Food in the Anthropocene: The EAT-Lancet Commission on healthy diets from sustainable food systems. The Lancet. 2019; 393(10170): 447-492, <u>https://doi.org/10.1016/S0140-6736(18)31788-4</u>
- 17. Maisonneuve C, Sanou D, Ouattara K, Nana C, Yaya S, Blanchet R and T Desrosiers Women's empowerment: A key mediating factor between cotton cropping and food insecurity in Western Burkina Faso. *Journal of Food Security*. 2014; **2(2):** 51-58.
- Iannotti LL, Lutter CK, Stewart CP, Riofrio AG, Malo C, Reinhart G, Palacios A, Karp C, Chapnick M, Cox K and WF Waters Eggs in early complementary feeding and child growth: a randomized controlled trial. *Pediatrics*, 2017; 140(1). <u>https://doi.org/10.1542/peds.2016-3459</u>
- Headley D, Hirvonen K and J Hoddinott Animal source foods and child stunting. *American Journal of Agricultural Economics*. 2018; 100(5): 1302-1319.

